



July 2016

SANITATION & FOOD ESTABLISHMENT INSPECTION REPORT

<p><u>Valley Park North 7/5/16</u> Routine Inspection</p> <p><u>One Priority Violation and One Non-Priority Violation Observed</u></p> <p>Improper use of Sanitizer in the kitchen, and sanitizer wiping cloths not kept in sanitizer or discarded after use.</p> <p><u>All Violations Corrected on Site</u></p>	<p><u>Bristol Manor 7/13/16</u> Routine Inspection</p> <p><u>One Priority Violation and 2 Non-Priority Violations Observed</u></p> <p>Raw meats above ready to eat foods, no hand washing signage, and sanitizing cloths not kept in sanitizer.</p> <p><u>All Violations Corrected on Site</u></p>
<p><u>Mojo's BBQ 7/6/16</u> Routine Inspection</p> <p><u>One non-Priority Violation Observed</u></p> <p>Leaking Plumbing under three compartment sink. Followed up the next day.</p> <p><u>Violation Corrected</u></p>	<p><u>Fulton Manor 7/14/16</u> Routine Inspection</p> <p><u>One Priority Violation Observed</u></p> <p>Improper use of sanitizer</p> <p><u>Corrected on Site</u></p>
<p><u>Midwest Petroleum 7/11/16</u> Routine Inspection</p> <p><u>Two Non-Priority Violations Observed</u></p> <p>No soap and paper towels at hand sink in the back, Mop water and mop not properly dumped and stored after use.</p> <p><u>All Violations Corrected on Site</u></p>	<p><u>Copper Mine 7/19/16</u> Pre-Opening Inspection</p> <p>Replacing seal on walk in cooler and freezer doors, replace all racks in coolers to prevent any contamination from paint and rust chipping into food products, grease trap being cleaned, striping</p>

<p><u>Express Liquor & Smokes 7/18/16</u> Routine Inspection</p> <p><u>One Non-priority Violation Observed</u></p> <p>Restrooms and toilet dirty, orders present.</p>	<p>and seal around sink and mechanical washer to be replaced because of buildup and mold.</p> <p><u>Follow up Inspection Required before Opening</u></p>
<p><u>Express Mart on Bluff 7/18/16</u> Routine Inspection</p> <p>No violation cited</p>	<p><u>Express Mart 2 7/20/16</u> Routine Inspection</p> <p><u>One Non-Priority Violation Observed</u></p> <p>Thermometers not in cold holding unit.</p> <p>Corrected on Site</p>
<p><u>VFW 7/20/16</u> Routine Inspection</p> <p><u>One non-Priority Violation Observed</u></p> <p>No thermometer in cold holding units</p>	<p><u>Killabrews 7/28/16</u> Routine Inspection</p> <p><u>Three Priority Violations and 1 Non Priority Violation</u></p> <p>Dirty food contact surfaces, mold and build up in the ice machine, Potentially hazardous foods out of temperature not held at 41°f and below, restrooms dirty and odor present.</p> <p><u>Follow up Inspection Required</u></p>
<p><u>Family Dollar 7/25/16</u> Routine Inspection</p> <p><u>One non-Priority Violation Observed</u></p> <p>Dumpster lids left open, means of egress for pest and harborage.</p> <p>Corrected on Site</p>	<p><u>McDonald's 7/21/16</u> Change of Ownership</p> <p><u>Two Priority Violations Observed</u></p> <p>Dirty food contact surface: Ice machine contaminated with buildup and debris, Walk in freezer dripping ice, water, condensation causing exposure and cross contamination to food items. All ice in machine was emptied out and machine was shut down until cleaned.</p> <p><u>Follow up required</u></p>
<p><u>Fastlane on Bluff 7/20/16</u> Routine Inspection</p> <p><u>Three Priority Violations and Three Non-Priority Violations Observed</u></p> <p>Dirty food contact surfaces: the soda machines have build up and mold in and on them, microwave and countertops food debris and spills, Improper storage of toxins: Flammable toxins being kept on top of/ gas water heater and toxins kitting over food products, Sanitizers</p>	<p><u>McDonald's 7/28/16</u> Follow Up Inspection</p> <p><u>No Violations Cited</u></p> <p><u>Fastlane on Bluff 7/28/16</u> Follow up Inspection</p> <p><u>No Violations Cited</u></p>

mixed to strong: mixed at 500 parts per million supposed to be mixed at 100 parts per million, Dirty Non-food contact surfaces: floors, inside cabinets, tracts of cooler doors, Restrooms ,toilet dirty and have odor present, Mop water not dumped out mop not stored properly.

Follow up Required

--	--

--	--

--	--